Author Index

Ahuja, S.
Optimization of selectivity, detectability and analysis time in high-performance liquid chromatography 489
Albert, K., see Buszewski, B. 305
Allam, K.
——, Saha, M. and Giese, R. W.
Preparation of electrophoric derivatives of N7-(2-hydroxyethyl)guanine, an ethylene oxide DNA adduct 571
Alpert, A. J.
Hydrophilic-interaction chromatography for the separation of peptides, nucleic acids and other polar compounds 177
Anspach, F. B.
——, Johnston, A., Wirth, H.-J., Unger, K. K. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. XCV. Thermodynamic and kinetic investigations on rigid and soft affinity gels with varying particle and pore sizes: comparison of thermodynamic parameters and the adsorption behaviour of proteins evaluated from bath and frontal analysis experiments 103
Appelt, G., see Engelhardt, H. 165
Armstrong, D. W., see Stalcup, A. M. 627
Asai, M., see Takeuchi, T. 549
Atamna, I. Z.
——, Muschik, G. M. and Issaq, H. J.
Effect of alcohol chain length, concentration and polarity on separations in high-performance liquid chromatography using bonded cyclodextrin columns 477
Bacolod, M. D., see El Rassi, Z. 141
Barth, H. G., see Glöckner, G. 645
Bartha, A.
——, Vigh, G. and Varga-Puchony, Z.
Basis of the rational selection of the hydrophobicity and concentration of the ion-pairing reagent in reversed-phase ion-pair high-performance liquid chromatography 423
——, see Strasters, J. K. 523
Basa, L. J.
—— and Spellman, M. W.
Analysis of glycoprotein-derived oligosaccharides by high-pH anion-exchange chromatography 205
Bassler, B. J., see Kaliszan, R. 333
Bayer, E., see Buszewski, B. 305
Beale, S. C.
——, Hsieh, Y.-Z., Wiesler, D. and Novotny, M.
Application of 3-(2-furoyl)quinoline-2-carbaldehyde as a fluorogenic reagent for the analysis of primary amines by liquid chromatography with laser-induced fluorescence detection 579
Benedek, P.
—— and Jankó, T.
Investigation and improvement of the Horváth–Lin equation of state 463
Berg, J. H. M. van den, see Lammers, N. G. F. M. 541
Berkel-Geldof, O. van, see Van Berkel-Geldof, O. 345
Billiet, H. A. H., see Strasters, J. K. 499, 523
Bonn, G.
——, Reiffenstuhl, S. and Jandik, P.
Ion chromatography of transition metals on an iminodiacetic acid bonded stationary phase 669
Bowers, L. D., see Pedigo, S. 279
Brenner, M.
——, Moirandat, C. and Schlimme, R.
High-efficiency liquid extractor for isolation of a desired material from complex organic mixtures 721
Brinkman, U. A. Th., see Irth, H. 617
Brown, P. R., see Turcotte, J. G. 55
Buszewski, B.
——, Suprynowicz, Z., Staszczuk, P., Albert, K., Pfleiderer, B. and Bayer, E.
Effect of coverage density on the retention mechanism in reversed-phase high-performance liquid chromatography 305
Cardinali, F.
——, Ziggiotti, A. and Viscomi, G. C.
Scaling-up procedure from the range of milligrams to grams for the purification of amino acid derivatives in displacement chromatography 37
Carr, P. W., see Cheong, W. J. 373
Carr, P. W., see Rigney, M. P. 291
Caude, M., see Veuthey, J. L. 637
Cheong, W. J.
—— and Carr, P. W.
Study of partition models in reversed-phase liquid chromatography based on measured mobile phase solute activity coefficients 373

Chiari, M.
——, Chiesa, C., Righetti, P. G., Corti, M., Jain, T. and Shorr, R.
Kinetics of cysteine oxidation in immobilized pH gradient gels 699
Chiesa, C., see Chiari, M. 699
Chloupek, R., see Sievert, H.-J. P. 221
Coolsaet, F., see Strasters, J. K. 523
Corti, M., see Chiari, M. 699
Cserháti, T., see Valko, K. 361
Dallenbach-Toelke, K., see Nyiredy, S. 453
De Galan, L., see Strasters, J. K. 499, 523
De Jong, G. J., see Irth, H. 617
Dellafera, S. S., see Wong, S. H. Y. 601
De Ocampo, L. F., see El Rassi, Z. 141
Derguini, F., see Stalcup, A. M. 627
Dewaele, C., see Lammers, N. G. F. M. 541
DiBussolo, J. M., see Miller, N. T. 317
Dong, M. W.
—— and Tran, A. D.
Factors influencing the performance of peptide mapping by reversed-phase high-performance liquid chromatography 125
Dorsey, J. G., see Michels, J. J. 435
Dou, L.
—— and Krull, I. S.
Determination of inorganic anions by flow injection analysis and high-performance liquid chromatography combined with photolytic-electrochemical detection 685
El Rassi, Z.
——, De Ocampo, L. F. and Bacolod, M. D.
Binary and ternary salt gradients in hydrophobic-interaction chromatography of proteins 141
Engelhardt, H.
——, Appelt, G. and Schweinheim, E.
Unexpected elution behaviour of peptides with various reversed-phase columns 165
Ewing, A. G., see Olefirowicz, T. M. 713
Fernandes, R., see Wong, S. H. Y. 601
Frei, R. W., see Irth, H. 617
Frenz, J., see Jacobson, J. M. 5
Funkenbusch, E. F., see Rigney, M. P. 291
Fürst, P.
——, Pollack, L., Graser, T. A., Godel, H. and Stehle, P.
Appraisal of four pre-column derivatization methods for the high-performance liquid chromatographic determination of free amino acids in biological materials 557
Galan, L. de, see Strasters, J. K. 499, 523
Gangoda, M. E., see Varughese, P. 469
Giese, R. W., see Allam, K. 571
Gilpin, R. K., see Varughese, P. 469
Glöckner, G.
—— and Barth, H. G.
Use of high-performance liquid chromatography for the characterization of synthetic copolymers 645
Godel, H., see Fürst, P. 557
Graser, T. A., see Fürst, P. 557
Guiochon, G., see Katti, A. M. 21
Hancock, W. S., see Sievert, H.-J. P. 221
Haraguchi, H., see Takeuchi, T. 549
Hartwick, R. A., see Kaliszan, R. 333
Hearn, M. T. W., see Anspach, F. B. 103
Helfferich, F. G., see Leu, R.-J. 677
Henderson, D. E.
—— and Mello, J. A.
Physicochemical studies of biologically active peptides by low-temperature reversed-phase high-performance liquid chromatography 79
Hjertén, S., see Lindeberg, J. 153
Holzhauer-Rieger, K.
——, Zhou, W. and Schügerl, K.
On-line high-performance liquid chromatography for the determination of cephalosporin C and by-products in complex fermentation broths 609
Hsieh, Y.-Z., see Beale, S. C. 579
Hurtubise, R. J., see Mohseni, R. M. 395
Hwang, Y.-L., see Leu, R.-J. 677
Irth, H.
——, Lamoree, M., De Jong, G. J., Brinkman, U. A. Th., Frei, R. W., Kornfeldt, R. A. and Persson, L.
Determination of D-*myo*-1,2,6-inositol trisphosphate by ion-pair reversed-phase liquid chromatography with post-column ligand exchange and fluorescence detection 617
Ishii, D., see Takeuchi, T. 549
Issaq, H. J., see Atamna, I. Z. 477
Jacobson, J. M.
—— and Frenz, J.
Determination of competitive adsorption isotherms for modeling large-scale separations in liquid chromatography 5
Jain, T., see Chiari, M. 699
Jandik, P., see Bonn, G. 669
Jang, N.-I., see Turcotte, J. G. 55
Janicot, J. L., see Veuthey, J. L. 637
Jankó, T., see Benedek, P. 463
Jin, H. L., see Stalcup, A. M. 627
Johnston, A., see Anspach, F. B. 103
Jong, G. J. de, see Irth, H. 617
Kalász, H.
——, Kerecsen, L., Knoll, J. and Pucsok, J.
Chromatographic studies on the binding, action and metabolism of (−)-deprenyl 589

Kalghatgi, K.
Micropellicular stationary phases for rapid protein analysis by high-performance liquid chromatography 267
Kaliszan, R.
——, Ośmiałowski, K., Bassler, B. J. and Hartwick, R. A.
Mechanism of retention in high-performance liquid chromatography on porous graphitic carbon as revealed by principal component analysis of structural descriptors of solutes 333
Karger, B. L., see Lin, S. 89
Katti, A. M.
—— and Guiochon, G.
Quantitative comparison between the experimental band profiles of binary mixtures in overloaded elution chromatography and their profiles predicted by the semi-ideal model 21
Kerecsen, L., see Kalász, H. 589
Kirkland, J. J.
—— and Yau, W. W.
Effect of operating parameters on polymer molecular weight accuracy with time-delay, exponential-decay thermal field flow fractionation 655
Knoll, J., see Kalász, H. 589
Kornfeldt, R. A., see Irth, H. 617
Kraak, J. C., see Van Berkel-Geldof, O. 345
Kranzler, H., see Wong, S. H. Y. 601
Krull, I. S., see Dou, L. 685
Lammers, N. G. F. M.
——, Van den Berg, J. H. M., Verzele, M. and Dewaele, C.
Performance of micro-liquid chromatographic columns in an industrial environment: a case history 541
Lamoree, M., see Irth, H. 617
László, E., see Szepesy, L. 197
Leu, R.-J.
——, Hwang, Y.-L. and Helfferich, F. G.
Calculation of column performance in nitrate removal from water supplies by anion exchange 677
Lin, S.
—— and Karger, B. L.
Reversed-phase chromatographic behavior of proteins in different unfolded states 89
Lindeberg, J.
——, Srichaiyo, T. and Hjertén, S.
High-performance adsorption chromatography of transfer ribonucleic acids and proteins on 2-μm spherical beads of hydroxyapatite. Influence of sodium chloride and magnesium ions on the resolution 153
Macbride, D., see Turcotte, J. G. 55
Mazsaroff, I.
——, Vàrady, L., Mouchawar, G. A. and Regnier, F. E.
Thermodynamic model for electrostatic-interaction chromatography of proteins 63
Mazur, P., see Stalcup, A. M. 627
Mello, J. A., see Henderson, D. E. 79
Michels, J. J.
—— and Dorsey, J. G.
Estimation of the reversed-phase liquid chromatographic lipophilicity parameter log k'_w using ET-30 solvatochromism 435
Miller, N. T.
—— and DiBussolo, J. M.
Studies on the stability of *n*-alkyl-bonded silica gels under basic pH conditions 317
Mohseni, R. M.
—— and Hurtubise, R. J.
Retention characteristics of several compound classes in reversed-phase liquid chromatography with β-cyclodextrin as a mobile phase modifier 395
Moirandat, C., see Brenner, M. 721
Mouchawar, G. A., see Mazsaroff, I. 63
Muschik, G. M., see Atamna, I. Z. 477
Nakanishi, K., see Stalcup, A. M. 627
Novotny, M., see Beale, S. C. 579
Nyiredy, S.
——, Dallenbach-Toelke, K., Zogg, G. C. and Sticher, O.
Strategies of mobile phase transfer from thin-layer to medium-pressure liquid chromatography with silica as the stationary phase 453
Ocampo, L. F. De, see El Rassi, Z. 141
Olajos, S., see Valko, K. 361
Olefirowicz, T. M.
—— and Ewing, A. G.
Capillary electrophoresis with indirect amperometric detection 713
Oscarsson, S.
—— and Porath, J.
Protein chromatography with pyridine- and alkyl-thioether-based agarose adsorbents 235
Ośmiałowski, K., see Kaliszan, R. 333
Pedigo, S.
—— and Bowers, L. D.
Comparison of retention behavior on polymeric resins and an alkyl-bonded silica phase in reversed-phase high-performance liquid chromatography 279
Persson, L., see Irth, H. 617
Peterson, E. A., see Torres, A. R. 47
Pfleiderer, B., see Buszewski, B. 305
Pivarnik, P. E., see Turcotte, J. G. 55
Pohl, C. A., see Stillian, J. R. 249
Pollack, L., see Fürst, P. 557

Pomaville, R. M.
—— and Poole, C. F.
Gas chromatographic study of the solution thermodynamics of organic solutes in tetraalkylammonium alkanesulfonate and perfluoroalkanesulfonate solvents 749
Poole, C. F., see Pomaville, R. M. 749
Poppe, H., see Van Berkel-Geldof, O. 345
Porath, J., see Oscarsson, S. 235
Pucsok, J., see Kalász, H. 589
Rassi, Z. El, see El Rassi, Z. 141
Regnier, F. E., see Mazsaroff, I. 63
Reiffenstuhl, S., see Bonn, G. 669
Righetti, P. G., see Chiari, M. 699
Rigney, M. P.
——, Funkenbusch, E. F. and Carr, P. W.
Physical and chemical characterization of microporous zirconia 291
Rosset, R., see Veuthey, J. L. 637
Saha, M., see Allam, K. 571
Schlimme, R., see Brenner, M. 721
Schügerl, K., see Holzhauer-Rieger, K. 609
Schweinheim, E., see Engelhardt, H. 165
Sehgal, R. K., see Turcotte, J. G. 55
Shirali, S. S., see Turcotte, J. G. 55
Shorr, R., see Chiari, M. 699
Sievert, H.-J. P.
——, Wu, S.-L., Chloupek, R. and Hancock, W. S.
Automated evaluation of tryptic digest from recombinant human growth hormone using ultraviolet spectra and numeric peak information 221
Singh, H. K., see Turcotte, J. G. 55
Spellman, M. W., see Basa, L. J. 205
Srichaiyo, T., see Lindeberg, J. 153
Stalcup, A. M.
——, Jin, H. L., Armstrong, D. W., Mazur, P., Derguini, F. and Nakanishi, K.
Separation of carotenes on cyclodextrin-bonded phases 627
Staszczuk, P., see Buszewski, B. 305
Stefansson, M.
—— and Westerlund, D.
Reversed-phase ion-pair liquid chromatography of glucuronides 411
Stehle, P., see Fürst, P. 557
Sticher, O., see Nyiredy, S. 453
Stillian, J. R.
—— and Pohl, C. A.
New latex-bonded pellicular anion exchangers with multi-phase selectivity for high-performance chromatographic separations 249
Strasters, J. K.
——, Billiet, H. A. H., De Galan, L. and Vandeginste, B. G. M.
Strategy for peak tracking in liquid chromatography on the basis of a multivariate analysis of spectral data 499
Strasters, J. K.
——, Coolsaet, F., Bartha, A., Billiet, H. A. H. and De Galan, L.
Peak tracking and subsequent choice of optimization parameters for the separation of a mixture of local anaesthetics by high-performance liquid chromatography 523
Suprynowicz, Z., see Buszewski, B. 305
Szepesy, L.
——, Vida, L., Tóth, M. and László, E.
Investigation of some α-amylases by high-performance hydrophobic-interaction chromatography 197
Takeuchi, T.
——, Asai, M., Haraguchi, H. and Ishii, D.
Direct coupling of capillary liquid chromatography with conventional high-performance liquid chromatography 549
Torres, A. R.
—— and Peterson, E. A.
Purification of monoclonal antibodies by complex-displacement chromatography on CM-cellulose 47
Tóth, M., see Szepesy, L. 197
Tran, A. D., see Dong, M. W. 125
Turcotte, J. G.
——, Pivarnik, P. E., Shirali, S. S., Singh, H. K., Sehgal, R. K., Macbride, D., Jang, N.-I. and Brown, P. R.
Preparative-scale high-performance liquid chromatographic separation and purification of 3′-azido-3′-deoxythymidine-5′-phosphate 55
Unger, K. K., see Anspach, F. B. 103
Valko, K.
——, Olajos, S. and Cserháti, T.
Prediction of the high-performance liquid chromatographic retention behaviour of some benzodiazepine derivatives by thin-layer chromatography 361
Van den Berg, J. H. M., see Lammers, N. G. F. M. 541
Van Berkel-Geldof, O.
——, Kraak, J. C. and Poppe, H.
Preparation of silicone-coated 5–25-μm I.D. fused-silica capillary columns for open-tubular liquid chromatography 345
Vandeginste, B. G. M., see Strasters, J. K. 499
Vàrady, L., see Mazsaroff, I. 63
Varga-Puchony, Z., see Bartha, A. 423

Varughese, P.
——, Gangoda, M. E. and Gilpin, R. K.
Reversed-phase liquid chromatographic studies of non-ionic surfactants and related solutes 469
Verzele, M., see Lammers, N. G. F. M. 541
Veuthey, J. L.
——, Janicot, J. L., Caude, M. and Rosset, R.
Comparitive supercritical-fluid chromatographic properties of carbon dioxide and sulphur hexafluoride–ammonia mixtures with packed columns 637
Vida, L., see Szepesy, L. 197
Vigh, G., see Bartha, A. 423
Viscomi, G. C., see Cardinali, F. 37
Westerlund, D., see Stefansson, M. 411
Wiesler, D., see Beale, S. C. 579
Wirth, H.-J., see Anspach, F. B. 103
Wong, S. H. Y.
——, Dellafera, S. S., Fernandes, R. and Kranzler, H.
Determination of fluoxetine and norfluoxetine by high-performance liquid chromatography 601
Wu, S.-L., see Sievert, H.-J. P. 221
Yau, W. W., see Kirkland, J. J. 655
Zhou, W., see Holzhauer-Rieger, K. 609
Ziggiotti, A., see Cardinali, F. 37
Zogg, G. C., see Nyiredy, S. 453